

AMENDMENTS TO THE ABSTRACT:

Please replace the paragraph (Abstract) beginning at page 22, line 1 with the following rewritten version:

ABSTRACT

A cylinder body **2** is sandwiched between a front head **7** and a rear head. ~~8~~ and a A high pressure port ~~10~~ is formed in the front head **7**. A roller **3** of a piston **5** is configured such that top and bottom end surfaces thereof have different widths. The roller **3** is arranged such that one of the top and bottom end surfaces having a larger width faces the front head **7**.

Serial No.: New – PCT/ JP2004/008512 Nat'l Phase
Filed: Herewith

AMENDMENTS TO THE DRAWINGS:

The attached sheets of drawings include a change to Figures 13-15 to include "Prior Art". These replacement sheets, which include Figures 13-15, replace the original sheets that included Figures 13-15.


Attachment: two (2) replacement sheets

Serial No.: New – PCT/ JP2004/008512 Nat'l Phase
Filed: Herewith

REMARKS

The foregoing amendments are being made to the present application to more closely conform the present application to U.S. practice. Entrance of this Amendment is respectfully requested.

Respectfully submitted,



David L. Tarnoff
Attorney of Record
Reg. No. 32,383

SHINJYU GLOBAL IP COUNSELORS, LLP
1233 Twentieth Street, NW, Suite 700
Washington, D.C. 20036
(202)-293-0444
Dated: 12-8-05

G:\12-DEC05-KK\DK-US055289 preliminary amendment.doc